





Your door, Your world

Discover Budvar doors - more durable than others, inspired by the rhythm and character of beautiful European cities.

Your front door is the business card of your home, so it is extremely important to ensure both its high quality and beautiful appearance. They are the first line of defense against outside threats - including the vagaries of the weather and street noise. It is impossible to count how many times in a year we open and close them. They must be sturdy, durable and perfectly suited to the character of the building, so that your guests cross the threshold of the house with delight.

See what to look for when choosing the best doors for your home





Doors – Aluminum or PVC?

Aluminum doors



The most durable doors will retain their complete properties and beautiful appearance for years.



A wide range of colors including full RAL and wood-like colors will allow you to match the design of the door to the appearance of the building.



Aluminum doors are resistant to changing weather conditions and temperature variations.



Exceptional rigidity and lightweight construction will make the daily operation of your door very comfortable.



Aluminum doors can be equipped with modern decorative fillings in the form of single-sided stile panels, double-sided stile or infill panel. Remember that depending on the selected variant, the door may look different from the inside and outside.

stile panel - the sash and infill form a single plane, with no visible division



PVC doors



The warm door that will guarantee you and your household members high thermal and acoustic comfort.



You can perfectly match the color and shape of the profile of PVC doors with the design of Budvar windows to ensure a consistent appearance of your home's facade.



PVC doors are equipped with decorative infills in the form of a infill panel.



Out of concern for the environment, we do not use lead, cadmium, and other heavy metal compounds in the production of doors, protecting the environment.



Titanium Technology profiles, which Budvar uses to manufacture its doors are characterized by exceptional thermal performance, high rigidity, extraordinary gloss, and high surface resistance.

infill panel - with visible division into sash and panel





Design – collections of decorative panels

Some love artistic Spanish design, and others prefer the simple and minimalist forms of Scandinavia – so we take you on a journey through Europe and its unique cities. Decide where you feel most comfortable and what exterior doors will work best with your home.

alu pvc



Helsinki

alu pvc



Amsterdam

alu pvc



Berlin

alu pvc



Madrid

alu



Monaco

alu



London

alu



Split

pvc



Palermo

alu pvc



Warsaw



Ud from **0,71** W/m²K

Helsinki 5.1

color: RAL 7021 matt
glass: satinato
handle: T1-90, INOX, 580 mm

Helsinki


Modern and minimalist designs with geometric glazing and stainless steel decorations refer to raw Finnish design.





Helsinki 1.1

color: dark concrete
glass: satinato
handle: T2-90, INOX, 1800 mm



Helsinki 6.8

color: RAL 5003 texture
glass: satinato
handle: T2-90, INOX, 1000 mm



Helsinki 8.1

color: RAL 7046 texture
glass: satinato
handle: T2-90, INOX, 1600 mm



Helsinki 9.2

color: winchester
glass: satinato
handle: T25-W, INOX, 1400 mm



remaining designs
from the collection

Helsinki





Ud from **0,71** W/m²K

Amsterdam 4.6

frame color: RAL 9005 matt
panel color: RAL 8016 matt
handle: T2-90, black, 1800 mm

Amsterdam

A collection created for those seeking doors in an original style. Designs decorated with regular milling patterns will become a design feature of the entire building.





Amsterdam 2.2

color: RAL 7012 matt
glass: satinato
handle: T2-90, INOX, 580 mm



Amsterdam 4.3

color: RAL 6004 matt
handle: T1-90, black, 1200 mm



Amsterdam 4.4

color: RAL 6011 matt
handle: T2-90, INOX, 1800 mm

*Amsterdam 1.1*

color: RAL 7033 matt
glass: satinato
handle: T1-90, black, 580 mm



remaining designs
from the collection

Amsterdam



Ud from **0,71** W/m²K

Berlin 4.3

color: RAL 9006 matt
glass: one-way mirror
handle: T19D-90, INOX matt
and wood, 1200 mm

Berlin

Classic and sleek doors
with glass elements, created for enthusiasts of
simplicity and minimalist design.





Berlin 4.1

color: RAL 9007 matt
glass: reflex graphite
handle: T1-90, INOX, 1000 mm




Berlin 2.5

color: RAL 9005 texture
glass: reflex graphite
handle: T33-90, black carbon fiber
and wood, 480 mm



Berlin 5.2

color: walnut
glass: one-way mirror
handle: T34-90, black carbon
fiber, 500 mm

*Berlin 7.2*

color: bleached oak
glass: one-way mirror
handle: T1-90, INOX, 580 mm



remaining designs
from the collection

Berlin



Ud from 0,71 W/m²K

Madrid 1.4

color: RAL 7033 matt
glass: satinato
handle: T1-90, INOX, 1800 mm

Madrid

A wealth of ornamental patterns that make the door an original distinguishing feature of the entire house. Designed for those looking for solutions with artistic character.





Madrid 1.2

color: RAL 9006 texture
glass: satinato
handle: T2-90, INOX, 1800 mm



Madrid 1.7

color: RAL 7031 matt
glass: satinato
handle: T1-90, INOX, 800 mm



Madrid 1.5

color: RAL 9016 texture
glass: satinato
handle: T1-90, INOX, 1000 mm

*Madrid 1.8*

color: RAL 8019 matt
glass: satinato
handle: T1-90, INOX, 800 mm



remaining designs
from the collection

Madrid



Ud from 0,75 W/m²K

Monaco 2.1

color: RAL 6020 matt
glass: one-way mirror
handle: T2-45, INOX, 1200 mm

Monaco

Doors with a remarkable, unique character with elements of black lacobel glass. They will perfectly blend in with industrial, modern building facades.





Monaco 1.6

color: RAL 7016 texture
glass: sandblasted with
transparent stripes
handle: T39-90, INOX matt and
black lacobel glass, 1600 mm



Monaco 1.1

frame color: RAL 9005 texture
panel color: RAL 7038 texture
glass: satinato
handle: T2-90, INOX, 580 mm



Monaco 2.3

color: RAL 7023 matt
 glass: sandblasted with
 transparent stripes
 handle: T34-90, black carbon
 fiber, 500 mm



Monaco 2.4

color: RAL 9005 matt
 handle: T39-90, INOX matt
 and black lacobel glass, 1600 mm



remaining designs
 from the collection

Monaco





Ud from 0,68 W/m²K

London 1.5

color: RAL 3011 matt
handle: T1-90, INOX, 1800 mm

London

The London collection is for enthusiasts of classic English design. Tasteful, regular embossing gives the door a very elegant appearance.





London 1.4

color: RAL 7035 matt
handle: T2-90, INOX, 1600 mm



London 1.1

color: RAL 6019 matt
handle: T1-90, INOX, 580 mm



London 1.7

color: RAL 5024 matt
handle: T1-90, INOX, 800 mm

*London 1.8*

color: RAL 7043 matt
handle: T2-90, INOX, 580 mm



remaining designs
from the collection

London



Ud from 0,75 W/m²K

Split 4.2

color: RAL 7016 texture
 glass: one-way mirror
 handle: T33-90, black carbon fiber
 and wood, 490 mm

Split

Doors evoking with their appearance the landscape of picturesque Croatia, where soaring mountains merge with the smooth surface of the Adriatic Sea. The harmonious combination of glass and regular millwork will be perfect for any building.





Split 2.3

color: RAL 8017 matt
glass: reflex bronze
handle: T1-90, black, 1800 mm



Split 1.3

color: RAL 7009 matt
glass: satinato
handle: T2-90, black, 580 mm



Split 5.6

color: RAL 7043 matt
glass: reflex graphite
handle: T2-90, INOX, 580 mm



Split 5.8

color: RAL 7033 matt
glass: satinato
handle: T2-90, INOX, 1600 mm



remaining designs
from the collection

Split





Ud from **1,1** W/m²K

Palermo 11.1

color: anthracite texture
glass: satinato
handle: T2-45, INOX, 580 mm

Palermo

Doors inspired by the eclectic landscapes of picturesque Palermo, suitable for both modern and classic construction.

pvc






Palermo 7.0

color: white
handle: Venus, INOX



Palermo 10.1

color: white
glass: one-way mirror
handle: T1-45, INOX, 1200 mm



Palermo 2.1

color: golden oak
glass: crepi
handle: Dublin, gold anodized

*Palermo 14.1*

color: walnut
handle: T2-45, INOX, 800 mm



remaining designs
from the collection

Palermo



Ud from **1,1** W/m²K



Warsaw 1

color: white
glass: sandblasted with
transparent pattern
handle: Venus, INOX

Warsaw

The collection was inspired by the diverse character and metropolitan, dynamic rhythm of Warsaw life. The decorative panels are made entirely of glass, on which futuristic patterns are intertwined with modernism and art deco.





Warsaw 2

color: white
glass: sandblasted with
transparent pattern
handle: Venus, INOX



Warsaw 3

color: white
glass: sandblasted with
transparent pattern
handle: Venus, INOX



Warsaw 4

color: white
glass: sandblasted with
transparent pattern
handle: Venus, INOX

*Warsaw 6*

color: white
glass: sandblasted with
transparent pattern
handle: Venus, INOX



remaining designs
from the collection

Warsaw



Variants of aluminium door construction



Imperial

budget aluminium door variant



Genesis

aluminum doors with improved thermal insulation parameters



MB-104 Passive

perfect design and thermal insulation

FRAME DEPTH	65 mm		75 mm		95 mm	
SILL	low aluminium sill with a thermal break		low aluminium sill with a thermal break		low aluminium sill with a thermal break	
OPENING DIRECTION	inside or outside		inside or outside		inside or outside	
PANEL OPTIONS	infill panels (40 - 48 mm)		infill panels (40 - 48 mm), single-sided panels (60 mm), double-sided stile panels (75 mm)		double-sided stile panels (95 mm)	
ARCHITRAVE TYPE	standard, renovation (finishing profile), monoblock (finishing profile)		standard, renovation (finishing profile), monoblock (finishing profile)		standard	
PROFILE	Aliplast – Imperial thermal variant: Standard		Aliplast – Genesis thermal variant: I+		Aluprof – MB 104 Passive thermal variant: SI+	

Variants of PVC door construction



T-Classic Door

economical doors with
a rounded frame shape



T-Comfort Door

durable, solid PVC doors



T-Perfekt Door

subtle in appearance warm doors with third
seal in standard

FRAME DEPTH	70 mm	70 mm	82 mm
SILL	low aluminium sill with a thermal break	low aluminium sill with a thermal break	low aluminium sill with a thermal break
OPENING DIRECTION	inside or outside	inside or outside	inward
PANEL OPTIONS	infill panels (36 mm)	infill panels (36 mm)	infill panels (36 - 48 mm)
ARCHITRAVE TYPE	standard, monoblock*	standardowa, renovation*, monoblock*	standardowa, renovation, monoblock*


* available in the variant of doors opening inwards



Aluminum door colors

RAL colors

with matt, textured and satin finish



all
remaining
colors
of the RAL

+

RAL


Texture paints



The color scheme depends on the selected variant of paneling. Ask the seller for a detailed offer.

The colors shown are for illustrative purposes only. The color and texture of the product may differ from those shown in the catalog.

PVC door colors



The color scheme depends on the selected paneling variant. It is possible to choose colors not in the offer, on individual request. Ask the seller for details.

The colors shown are for illustrative purposes only. The color and texture of the product may differ from those shown in the catalog.

SCAN QR CODE TO SEE
MORE COLOURS



Handles



T1-45

diameter: Ø30 mm
Length: 580 mm, 800 mm, 1000 mm,
1200 mm, 1600 mm, 1800 mm
color: INOX, black,
anodized black brushed,
anodized INOX brushed



T1-90

diameter: Ø30 mm
Length: 580 mm, 800 mm, 1000 mm,
1200 mm, 1600 mm, 1800 mm
color: INOX, black,
anodized black brushed,
anodized INOX brushed



T2-45

cross-section: 40x20 mm
Length: 580 mm, 800 mm, 1000 mm,
1200 mm, 1600 mm, 1800 mm
color: INOX, black,
anodized black brushed,
anodized INOX brushed



T2-90

cross-section: 40x20 mm
Length: 580 mm, 800 mm, 1000 mm,
1200 mm, 1600 mm, 1800 mm
color: INOX, black,
anodized black brushed,
anodized INOX brushed



T30-90

cross-section: 45x25 mm
Length: 600 mm, 800 mm, 1000 mm,
1200 mm, 1600 mm, 2000 mm
color: INOX matt

METHOD OF ATTACHING THE HANDLE



oblique



straight – only available
for stile panels



recessed – only available for
stile panels



T18D-45

diameter: Ø30 mm
length: 600 mm, 800 mm,
1200 mm, 1600 mm
color: INOX matt and wood



T19D-90

diameter: Ø30 mm
length: 600 mm, 800 mm,
1200 mm, 1600 mm
color: INOX matt and wood



T32-90

cross-section: 40x10 mm
length: 480 mm
color: black steel and wood



T33-90

cross-section: 50x20 mm
length: 490 mm
color: black carbon fiber and wood



T39-90

cross-section: 40x20 mm
length: 1600 mm
color: INOX matt and black lacobel glass



Handles



T35-90

cross-section: 40x10 mm
length: 480 mm
color: black steel



T36-90

cross-section: 40x10 mm
length: 450 mm
color: black steel



T34-90

diameter: Ø30 mm
length: 500 mm
color: color: black texture, finished
with a stainless steel disc



T29-W

width: 61 mm
length: 800 mm, 1200 mm,
1600 mm, 2000 mm
color: INOX matt,
aluminum varnished
in any color
of the RAL range



T25-W

width: 185 mm
length: 1400 mm
color: INOX matt

METHOD OF ATTACHING THE HANDLE



oblique



straight – only available
for stile panels



recessed – only available for
stile panels



T24-W

width: 155 mm
length: 550 mm
color: INOX matt



T13-90

cross-section: 40x20 mm
length: 1000 mm
color: INOX matt



T21-90

cross-section: 40x10 mm
length: 600 mm, 1200 mm, 1800 mm
color: INOX matt



T22-90

cross-section: 100x5 mm
length: 1800 mm, 2000 mm,
2200 mm, 2400 mm
color: INOX matt



T23-90

cross-section: 100x5 mm
length: 1500 mm, 1800 mm,
2000 mm, 2200 mm, 2400 mm
color: INOX matt



Handles



aluminum
handle oval

diameter: Ø30 mm
length: 300 mm
color: old gold, gray anthracite matt,
RAL 8003, white, silver, black



aluminum
rectangular handle

diameter: Ø30 mm
length: 300 mm
color: old gold, gray anthracite matt,
RAL 8003, white, silver, black



aluminum
triangular handle

diameter: Ø30 mm
length: 300 mm
color: old gold, gray anthracite matt,
RAL 8003, white, silver, black



knob on long
backplate

color: old gold, gray anthracite matt,
RAL 8003, white, silver, black



"P" handle on a long
backplate

color: old gold, gray anthracite matt,
RAL 8003, white, silver, black

Handles



Saturn

color: old gold,
anthracite gray matt,
RAL 8003, white, silver,
black also available
as an option for
the roller shutter



Victory

color: old gold,
anthracite gray matt,
RAL 8003, white, silver,
black also available
as an option for
the roller shutter



Sole

color: glossy brass,
brushed nickel



Sole oval

color: glossy brass,



Dublin

color: F1 silver anodized,
gold anodized F4,
INOX anodized F6
brushed,
black anodized F9005,
white, black anodized
brushed F9005



Liverpool

color: RAL 9016,
RAL 8707, titanium




Venus


color: INOX
also available as an option
for the roller shutter

Glass


The glazing in the door is constructed of single or double-glazing packages with a warm spacer and safety glass. A wide range of glazing, including transparent, sandblasted, ornament, and Venetian mirror glass, allow the appearance and functionality of the door to be perfectly matched to the preferences of the householders.




transparent glass




sandblasted glass



one-way mirror




delta transparent




chinchilla white




crepi




reflex brown




reflex silver



reflex graphite



satinato (frosted glass)



delta matt



Espagnolettes

We want your home to be a place where you and your household members feel extremely safe. That's why we equip our doors with multi-point espagnolettes that guarantee high burglary protection at the RC2 class level. Check which lock variant will work best for your home.



Automatic 6-point espagnolette with hooks and pins BS 3700

Automatic home protection at 6 points - every time you latch the door, it automatically locks at 6 points on the hooks, bolts, and latch of the main lock. Thus, by equipping your door with a hilt from the outside, you are assured that it will protect your home even when it is not locked. Optional equipment: A-drive, day/night striker, electric door strike.



Semi-automatic 6-point espagnolette with hooks and pins AS 2750

Automatic protection of your home in 3 points - self-locking of the door, after it is latched each time, is provided by 2 pins protruding from the cassettes and the latch of the main lock. The door, equipped with a hilt from the outside, will protect your home at 3 points, without the use of a key. When you turn the key in the lock, the door will be locked additionally by 2 hooks and a massive deadbolt, and the bolts will slide even deeper into the door frame. Optional equipment: electric door striker



Manual 6-point espagnolette with hooks and pins AS 2600

Locking on the latch of the main lock - door equipped with a handle from the outside, each time it is latched, it will lock only on the latch of the main lock. Secure locking of the door on hooks, bolts, and massive bolt is possible after turning the key in the lock. Optional equipment: day/night lock, electric door striker, additional lock



Manual 10-point espagnolette with hooks and pins AS 2608

Locking on the latch of the main lock - the door equipped with a handle from the outside, each time it is latched, it will only lock on the latch of the main lock. Secure locking of the door on hooks, bolts, and massive bolt is possible after turning the key in the lock. Optional equipment: day/night lock, electric door strike



Manual 10-point espagnolette with hooks and pins AS 4648

Actuated by the handle - to extend the hooks and bolts, close the door on the latch of the main lock and lift the handle up. Securely close the door only after using the key - this will extend the massive bolt and prevent the handle from moving.



Manual 6-point espagnolette with hooks and pins AS 4640

Actuated by the handle - to extend the hooks and bolts, close the door on the latch of the main lock and lift the handle up. Securely close the door only after using the key - this will extend the massive bolt and prevent the handle from moving.

actuation




by key



by handle


Optional equipment for your door



A-drive

Allows you to open doors locked with hooks and pins using a numeric keypad (using a short numeric code) or a fingerprint reader.


A-drive requires a power connection.



Day/night lock

By manually setting the striker in the appropriate position, it is possible to disable the automatic locking of the door on the main lock latch. Thanks to this, when staying in the garden or on the terrace, we do not have to remember to carry a key to get into the house.

The day/night lock does not require a power connection.



Electric striker

It is used to remotely open doors locked only on the latch of the main lock. With an impulse from the outside, sent using an intercom or access card, it is possible to open the door without using a key.

The electric striker requires a power connection.



Need support in tailoring the best solutions?
Get help from our experts.



Smart home – convenience and security for the modern home

We want your door to be not only a beautiful showcase of your home but also a fully functional part of it. Using artificial intelligence, we are able to make your door anticipate your needs one step ahead of you. Let us make your life easier. Choose the solution that works best for your home.



Numeric keypad

With the keypad, you have the ability to control your door with a short numeric code.

- You can change your access code at any time.
- You will receive an additional free app for your phone that will allow you to open the door remotely at a distance of 1 meter via Bluetooth.
- The solution does not require a Smart Home control panel.



Fingerprint reader

It allows the door to be opened based on a fingerprint, applied to a small reader placed on the door.

- You can give or cancel access to other people at any time.
- You will receive an additional free app for your phone that will allow you to open the door remotely at a distance of 1 meter via Bluetooth.
- From within the app, you can check who opened your door at what time.
- The solution does not require a Smart Home control panel.



**Controlling the door via the system
SMART HOME**

By integrating with a central Smart Home system, you will have the ability to remotely control your doors anywhere, anytime.

- Through the app, you will open and close the door from anywhere in the world.
- The Smart Home system will allow you to create customized scenarios tailored to the rhythm of the day to take care of your safety and that of your household members, such as opening and closing them at designated times and notifying you when your door is opened at an unusual time.
- The solution requires a Smart Home control panel.



Aluminum side doors | Imperial Light



Imperial Light


Durable and lightweight side doors that will retain their full properties and aesthetic appearance for years. Imperial Light is dedicated to utility rooms in single and multi-family housing, for example, as an additional side door or garage door.

- Made of warm aluminum profiles that guarantee thermal insulation.
- Available in the full range of RAL colors.
- Panel filling in the form of glass or a full, smooth panel.
- They have a classic handle and a key lock.
- Actuated with a key.

Imperial Light

FRAME DEPTH	65 mm
FRAME HIGHT	134 mm
SILL	low aluminum sill with thermal break
OPENING DIRECTION	inside or outside
PANEL OPTIONS	infill panels
ARCHITRAVE TYP	standard, renovation (finishing profile), monoblock (finishing profile)

Side doors PVC | T-Perfekt Door Light | T-Classic Door Light



T-Perfekt Door
Light

T-Classic Door
Light

Doors made of high-quality PVC, which will be perfect as an entrance to a basement or utility room. With a consistent color scheme with other PVC products from Budvar, their appearance will remain in harmony with the entire building.

- Manufactured using Titanium Technology, which guarantees the durability and rigidity of the product.
- Available in many color variants - from classic whites and grays to colors that perfectly reproduce natural wood.
- Panel filling in the form of an insert panel.
- Equipped with a handle and a key lock.
- Actuated by a handle or key.

	T-Perfekt Door Light	T-Classic Door Light
FRAME DEPTH	82 mm	70 mm
FRAME HEIGHT	141 mm	128 mm
SILL	low aluminum sill with thermal break	low aluminum sill with thermal break
OPENING DIRECTION	inward	inside or outside
PANEL OPTIONS	infill panels	infill panels
ARCHITRAVE TYP	standard, renovation	standard, renovation

* available in the variant of doors opening inwards



tel. +48 695 550 044

e-mail: windows@budvarcentrum.eu

www.budvarcentrum.eu



SCAN ME



KD_EN_26112025

